

**LEWIS
ELECTRIC**
444 W. Mowry Street
Homestead, FL 33030

**Thank You for downloading at the
Lewis Electric Web Site.**

**We hope you found the information you
were looking for and look forward to doing
Business with you.**

**This information is Copyrighted by The
Whistler Corporation and is subject to
change without notice.**

**Please read all of the Warnings regarding
Installation and Design of a complete
operator system!**




Dade County (305) 247-3721 Fax (305) 245-9347 Monroe County (305) 852- 7585
State License - EC #0001734 Dade CC# 2005 Monroe EC# 807
<http://www.lewiselec.com/> E-Mail Info@lewiselec.com

STANLEY GATE OPERATOR ACCESSORIES

The design of your security system and the accessories you choose will depend upon several considerations particular to your situation. Stanley Accessories are specifically

designed and tested to function with Stanley Gate Operators. Make sure your system incorporates Stanley specification accessories.

Transmitters



Mini, Part No. 24910


Single-Channel, Part No. 24911

Two-Channel, Part No. 24904

Four-Channel, Part No. 24905

Stanley digital radio transmitters offer 1,024 possible codes that can be changed at any time. The transmitters are powered by a 9-volt battery (12-volt for the Mini model) which is included. The two- and four-channel transmitters feature completely independent code settings which control separate receivers from one transmitter. They're perfect for operating multiple garage door/gate operator transmitter combinations. Separate radio receivers required.

Super Digital Radio Receiver



Part No. 203203

Our original radio receiver includes a coaxial socket antenna for clear reception. Especially suited for remote gate operation, the 300101 kit includes the mounting bracket, antenna and 15-foot coax cable.

Surge Suppressors



Part No. 24780 (24 vac)

Part No. 24781 (115 vac)

Part No. 24782 (230 vac-10)

Protects operator and controls from voltage surges and spikes.


Timer Modules



Part No. 24790

Automatically closes gate after vehicle has passed through.


7 Day Timer



Part No. 24778

12 Programmable on/off times, LCD display, easy programming.


Intercoms



Part No. 24760

Offering the convenience and security of point-to-point intercommunication, our complete system includes the outdoor call station on a gooseneck stand and indoor call station. There is also a keyswitch in the face of the outdoor station for local control of your gate.


Loop Detector



Part No. 4101725 (Fail Secure)

Provides the industry's most advanced features. Compact size and self tuning make installation easy. The detector has a loop diagnostics feature and selectable sensitivity levels to improve performance. Fail Safe is also available.

Long Distance Interface



Part No. 24776

Boosts signal from the operating device to the operator.

Exterior Controls



Keyswitch for Post Mounting


Part No. 24755



Single Button

Part No. 3200684

A convenient, heavy-duty open and/or close control station for external use. Can be used with any Stanley Opener. Also available with keyswitch lock.



Exterior 3-Button Station

Part No. 3200685

Interior Controls



Standard Duty 3-Button Station

Part No. 3200663


Various other station assemblies are also available for remote control applications.



Place controls far enough from the gate so that a user cannot touch the gate while operating the controls. However, the controls should be placed where the user has full view of the gate while operating.

STANLEY

Digital Keyless Entries



Digital Keyless Entry Plus Part No. 24974

High Performance


The Stanley Digital Keyless Entry Plus design includes plenty of code handling ability – up to 2,500 individual codes. It also includes a front lighted panel design. Push-buttons are highly visible, even on the darkest night. Positive-action metal keys are sealed against moisture.

Security

Access code length can be set from 1 to 7 digits. Up to 10 million code combinations possible in the 7-digit mode. The Stanley Digital Keyless Entry Plus permits precise control of the user's access activities. Access codes can be individually voided or validated. Features also include timed anti-passback and time usage restrictions.

Easy to Install


The system requires only minimum wiring for installation, resulting in major cost savings. The unit can operate on a wide range of voltages, which minimizes power problems. An optional pedestal mount is available.



Digital Keyless Entry

Part No. 24766

Allows access only to those who know the code using the telephone-like button panel. Provides 10,000 possible codes. Reprogrammable and lighted for nighttime use.





Digital Keyless Entry II

Part No. 49114

The Stanley Digital Keyless Entry II design includes plenty of code handling capability—up to 120 individual codes. Positive-action metal keys are sealed against moisture.

Card Readers



Simple-to-use hand-held Fiber Optic Programmer makes it easy to void and validate cards without ever opening the reader.

Card Reader Plus Part No. 24976

High Performance


The Stanley Card Reader Plus design allows for higher throughput at busy entrances because the entire card is read the instant it's fully inserted – even if it's wet or dirty. Lines and traffic snarls are greatly reduced since users are not required to smoothly insert or swipe their cards.

Security

Access cards can be individually voided or validated to control access and can be time-restricted by a system disable feature. The anti-passback feature prevents unauthorized sharing of cards. Cards from one facility will not work elsewhere.

Easy to Install

The system requires only minimal wiring for installation, resulting in major cost savings. The unit can operate on a wide range of voltages, which minimizes power problems. A special bypass mode simulates normal operation in the event service is needed. An optional pedestal mount is available.



Card Reader

Part No. 24794

The Stanley Four-Period Card Control unit permits access through the gate only to authorized cardholders. A key to a complete access control system – the reader has four different codes. Coded cards are ordered separately.

Depend on Stanley The Stanley name is your assurance of American-built quality. Stanley is the industry leader, with careful quality control procedures and operational testing during each step of production. A brochure on Gate Operating Safety is available from Stanley. Contact us for your copy.

STANLEY

GATE OPERATORS

1225 East Maple Road
Troy, MI 48083
(810) 528-1400